



**Supakwik** Water Heaters Pty Ltd

# SupaTap<sup>TM</sup> Undersink Series

*A range of compact, highly efficient combination undersink appliances incorporating motion detection power saving technology, patents applied for*



**Australian Made**



### Intelligent Power Saving \*

With its motion detection technology, the moment you leave the room SupaTap starts saving you money by entering energy saving standby modes. Learning how you use it, the SupaTap switches itself off when you don't require it then ready's itself in anticipation of your needs.



### User Power Saving Feature

For those hot days, when all you want is chilled filtered water and don't require boiling water, with the flick of a tap lever, you can leave the boiling water function of the appliance in its power saving modes thus saving you even further on your power bills.

### No Complicated Controls

No digital displays with multitudes of buttons with complex instructions and confusing power saving timers for you to puzzle out and program before you realise any benefits from power saving. Simply switch it on to achieve maximum performance and power saving advantages.

### Robust Tap Design

Designed and manufactured in Australia from chromed brass with friendly easy to operate robust levers, the tap features a LED display reflecting the appliance status.

### Independent Systems

Combination appliances comprise of independent heater and chiller units. This offers the user many benefits, fits where others simply won't, better use of cupboard space, greater flexibility in matching heater and chiller capacities, lower maintenance costs, to name a few.



### Filter Cartridge Management - maximising filter life

Intelligent filter management actually measures filter condition. You will be reminded to change the filter cartridge when actually spent, and not after a specific time or after a certain volume of water has passed through the filter. Once changed, the appliance will automatically reset the filter warning system.



### Safety

The very latest technology in reliability and safety, offering you the choice of safety lock features, makes the SupaTap the number one choice whether in age care, schools or the young family home.



**Supakwik** Water Heaters Pty Ltd

## **SupaTap™** **Undersink Series**

*A range of compact, highly efficient combination undersink appliances incorporating motion detection power saving technology - patents applied for*

### **Technical Data**



Typical installation of BCFHC200G10

**Australian Made**



## SupaTap™ Undersink Series

### Product Specifications

Delivers	Boil/Filtered			Boil / Chilled			Boil/Chilled/Filtered			Boil/Chilled/Filtered/Hot&Cold
<b>Model Number</b>	BF120	BF170	BF200	BC120G-	BC170G-	BC200G-	BCF120G-	BCF170G-	BCF200G-	BCFHC200G--
<b>Nom. Boil Capacity (L)</b>	3.0	3.8	6.0	3.0	3.8	6.0	3.0	3.8	6.0	6.0
<b>Chilled (Litres / Hour)</b>	Optional*			6 / 10 / 24						
<b>Ambient Filtered</b>	Unlimited			Not Available			Unlimited			
<b>Filtration (Micron)</b>	5									
<b>Hot Delivery (L@58°C)</b>										10
<b>Hot / Cold Tap</b>	Not Available									Vented
<b>Voltage (AC @50Hz)</b>	220 - 240									
<b>Heater Wattage (W)</b>	2230 - 2400									
<b>Chiller Wattage (W)</b>	120 / 140 / 180									
<b>Water Supply (kPa)</b>	100 - 1000									
<b>Supply Connection</b>	½" BSP									2 x ½" BSP
<b>PLV (kPa)</b>	350									
<b>Back Flow Prevention</b>	Dual Check Valve (fitted)									
<b>Heater Height (mm)</b>	340	395	340	395	340	395	340	395	340	395
<b>Width</b>	190									
<b>Depth</b>	410									
<b>Weight kg (gross)</b>	12	14	15	12	14	15	20.5	23.5	25.5	32
<b>Weight kg (nett)</b>	11	13	14	11	13	14	19.5	22.5	24.5	30.5
<b>Chiller Height (mm)</b>	290 / 305 / 426									
<b>Width</b>	210 / 200 / 240									
<b>Depth</b>	410 / 400 / 400									
<b>Weight kg (gross)</b>	13.5 / 14.0 / 18.0									
<b>Weight kg (nett)</b>	12.5 / 13.0 / 17.0									



Boil / Filtered  
3 Litre




Boil / Filtered  
6 Litre



Boil / Filtered  
Hot & Cold



24 Litre/Hour  
Chiller



6 Litre / Hour  
Chiller

\*A chiller may be fitted to the BF Series. When fitted the chilled water replaces the ambient filtered water function.

Sample Ordering Code:

For a 3.8 Litre Boiler with a 6 litre per hour Chiller, the order number would be BC170G06

All Supakwik combination undersink appliances comprise of independent heater and chiller units. The chiller function is controlled by the heater. This offers the end user the following benefits:

- Better utilization of cupboard space.
- Greater flexibility in choosing heater and chiller capacity model mix.
- Lower maintenance costs.

Heaters & Chillers are supplied with a 1.8 metre GPO power cable and plug.

Cupboard ventilation will be required when installing chiller models. For more information please contact Supakwik or one of its trained representatives.

On the 5 in 1 Series, when hot water is delivered, boiling water delivery may be inhibited for a short period of time.

Supakwik reserves the right to amend product specifications without notice.